

2026

			91370700MAE7CDAE8F
	00887		119 3 52.49 37 9 37.08
			262737
			0536-5128831
	C2614		wss.hbb@cnhu.com
	7200h		
	VE 2 E 2.7		
	5		
	00887		
	1320		2020
	“ ”		

VOCs

RTO	(DA002)	1 /
		1 /
		1 /
	(DA009)	1 /
	(DA001)	1 /
	VOCs	
	1 1 3-	/
	(DA004)	1 /
	1 1 3-	1 /
	(DA003)	1 /
	(DA008)	1 /
	(DA005)	1 /

C10C4ij

(DA006)

1 /

VOCs

1 /

1 /

VOCs

1 /

1 /

VOCs

1 /

1 /

2

(DW001)

BOD5

1 /

+

1 /

GB/T14848-2017

1

1 /

2 4-

GB36600-2018

1

I \

1	100		GB18484-2020	3
24	80	0.995	“≥2500kg/h”	
	0.5			
	ngTEQ/Nm ³	0.012		
1	4.0	ND		
24	2.0			
	0.05	0.0000877		
	0.5	ND		
	0.05	0.0000717		
	0.5	0.0356		
	0.5	0.00300		
	0.05			

		50	ND	/	
		3	0.137		
		20	1.73		
		800	354		DB37/3161-2018
		50	ND		
		100	49		
4	(DA009)	10	1.6		DB37/2374-2018
		1.0	<1		
		8	1.5		GB31573-2015 3
5	(DA003)	20	5.9		GB31573-2015
6					

		mg/Nm ³	mg/Nm ³		
1		1.0	0.027		
2		0.03	0.009		
3		20	14		DB37/3161-2018
4		0.05	ND		
5		0.1	0.08		GB31573-2015
6		12	ND		
7		1.0	0.316		(GB16297-1996) 2
8		0.2	ND		6
9		0.2	ND		
10	VOCs	2.0	1.88		DB37/ 2801.6—2018
			ND		

mg/m³ / 2

25		/	0.2L		
26		0.3	0.0004L		
27		0.07	0		
28		2	0.0004L		
29		2	0.00017L		
30		0.3	0.0005L		
31		0.1	0.0004L		
32		0.5	0.03L		
	L				

4.

			2026 6	
	L eq A	L eq A		
	65	52		GB12348-2008 3
	55	47		

2026 1

		mg/kg	mg/kg		GB36600-201 8 1
1		60	9.02		
2		20	0.12		
3		5.7	ND		
4		18000	11.6		
5		80	19		
6		38	0.84		
7		900	18		
8		2.8	ND		
9		0.9	ND		
10		37	ND		
11	1,1-	9	ND		
12	1,2-	5	ND		
13	1 1	66	ND		
14	-1,2-	596	ND		
15	-1 2-	54	ND		
16		616	ND		
17	1,2-	5	ND		
18	1,1,1,2-	10	ND		
19	1,1,2,2-	6.8	ND		
20		53	ND		
21	1,1,1-	840	ND		
22	1 1,2-	2.8	ND		

23		2.8	ND		
24	1,2,3-	0.5	ND		
25		0.43	ND		
26		4	ND		
27		270	ND		
28	1,2-	560	ND		
29	1,4-	20	ND		
30		28	ND		
31		1290	ND		
32		1200	ND		
33	+	570	ND		
34		640	ND		
35		76	ND		
36		260	ND		
37	2-	2256	ND		
38	[a]	15	ND		
39	[a]	1.5	ND		
40	[b]	15	ND		
41	[k]	151	ND		
42		1293	ND		
43	[a,h]	1.5	ND		
44	[1,2,3-cd]	15	ND		
45		70	ND		
46		/	ND	/	
47	PH	/	8.32	/	
48	C10-C40	/	44	/	
49		/	100	/	
50		/	0.36	/	
51		/	ND	/	
52		/	ND	/	
53		/	ND	/	
54	2 4-	/	ND	/	
55		/	412	/	
56		/	1.3	/	
57		/	404	/	
58		/	7.77	/	
59		/	1.58	/	
60		/	ND	/	
61		/	32	/	
62		/	ND	/	

63

/

ND

/

64

33			0.0004L		
34			0.0004L		
35			0.0003L		
36		/	0.0002L	/	
37		/	0.2L	/	
38		/	0.02L	/	
39		/	0.01L	/	
40		/	0.0002L	/	
41	2 4-	/	0.0007L	/	
42		/	0.016L	/	
43		/	0.016L	/	
44		/	0.00003L		
45		/	0.00015L	/	
46		/	0.00026	/	
47		/	0.00019	/	
48		/	0.094	/	
49		/	0.03L	/	

7.

2026 1

		mg/L	mg/L	mg/L		
1		10%	24.7	26		GB 37822-2019

8.

		mg/m3	mg/m ³	mg/m ³		
1		90%	4.7	0.3	93.6%	

9.

			t
	900-041-49		7.3
	900-041-49		13.86
	271-006-50		42.179

CS	900-013-11		4633.36
	900-013-11		189.1
			27.92
			30.1
			4943.819

10.





		t/a	t/	t	
1		47.84	0.618	1.414	
2		83.252	15.601	28.558	
3		12.1114	0.371	0.619	
4		81.526	17.52	19.413	
5		29.68	0.09	0.177	
6	COD	593.75	20.66	30.044	
7		35.63	1.88	3.59	

1	RTO		2019-9-30	
2		+	2019-9-30	
3		+	2019-9-30	
4		+	2019-9-30	
5			2019-9-30	

1 2×2 /

2018.2

1 0536-5128830
2

企业事业单位突发环境事件应急预案备案表			
单位名称	山东新信成纤维有限公司	机构代码	91370700MA3D988300
法定代表人	俞宏伟	联系电话	0536-5128832
联系人	巩向东	联系电话	18265651373
电子邮箱	7038519_7880710@qq.com	电子邮箱	WSS.100@china.com
地址			山东省潍坊市滨海区临港西路 00887 号
中心经度 119° 03' E			中心纬度 37° 09' N
预案名称			
			
			
			
			
			
			
			



检验检测机构 资质认定证书

副本

证书编号: 241512341643

名称: 潍坊优特检测服务有限公司

地址: 山东省潍坊市寒亭区民主街2009号寒亭高新
技术产



